

Selected Bibliography For Soils and On-Site Wastewater Treatment Systems
10/19/2018

- Anderson, J.L. and J. Bouma. 1973. Relationships Between Saturated Hydraulic Conductivity and Morphometric Data of an Argillic Horizon. *SSSA Proc.* 37: 408-413
- Anderson, J.L. and J. Bouma. 1977a. Water Movement Through Pedal Soils: I. Saturated Flow. *SSSAJ* 41: 413-418.
- Anderson, J.L. and J. Bouma. 1977b. Water Movement Through Pedal Soils: II. Unsaturated Flow. *SSSAJ* 41: 419-421
- Bouma J. 1971. Evaluation of the Field Percolation Test and an Alternative Procedure to Test Soil Potential for Disposal of Septic Tank Effluent. *SSSA Proc.* 35:871-875.
- Bouma, J. 1973. Use of Physical Methods to Expand Soil Survey Interpretations of Soil Drainage Conditions. *SSSA Proc.* 37: 413-421.
- Bouma J. and J.L. Anderson. 1973. Relationships Between Soil Structure Characteristics and Hydraulic Conductivity. P. 77-105 *In* R.R. Bruce (ed.) *Field Soil Water Regime*. *SSSA Spec. Publ.* 5. *SSSA*, Madison, WI.
- Clapp, R. W., and G. M. Hornberger. 1978. Empirical Equations for Some Hydraulic Properties. *Water Resources Research* 14(4): 601-604
- Converse, J.C. and E.J. Tyler. 1994. Renovating Failing Septic Tank-Soil Absorptions Systems Using Aerated Pretreated Effluent. P. 416-423 *In* *On-Site Wastewater Treatment, Vol. 7, Proceedings of the Seventh International Symposium on Individual and Small Community Sewage Systems*, Amer. Soc. of Agricultural Engineers Publ.18-94. ASAE, St.Joseph, MI.
- Converse, J.C. and E.J. Tyler. 2000. Wisconsin Mound Soil Absorption System: Siting, Design And Construction Manual. Publ. 15.24. Small Scale Waste Management Project. University of Wisconsin-Madison, Madison, WI.
- Converse, J.C. 2013. Personal Communication with Review and Comments.
- Corey, R.B., E.J. Tyler and M.U. Olutu. 1977. Effects of Water Softener Use on the Permeability of Septic Tank Seepage Fields. P. 226-235 *In* *Proceedings of Second National Home Sewage Treatment Symposium*. Amer. Soc. of Agricultural Engineers Public. 5-77. ASAE, St. Joseph, MI.
- Delaware Department of Natural Resources and Environmental Control. 2013. Sediment and Stormwater Technical Document. Post Construction Stormwater BMP Standards and Specifications. Infiltration 3.06.2.1 Appendix A-1 Soil Investigation Procedures. DNREC, Dover, DE.
- Franzmeier D.P. 1991. Estimation Of Hydraulic Conductivity From Effective Porosity Data For Some Indiana Soils. *SSSAJ* 55: 1801-1803.
- Harlan, P.W. and D.P. Franzmeier. 1974. Soil-Water Regimes in Brookston and Crosby Soils. *SSSA Proc.* 38: 638-643.
- Hart, K.C., B.D. Lee, P.J. Schoeneberger, D.P. Franzmeier, P.R. Owens, and D.R. Smith. 2008. Comparison of Field Measured Soil Absorption Field Loading Rates and Loading Rates Estimated from Soil Morphologic Properties. Publications from USDA-ARS / UNL Faculty. Paper 472.

- King, J. J., and D. P. Franzmeier. 1981. Estimation of Saturated Hydraulic Conductivity from Soil Morphological and Genetic Information. *SSSAJ* 45:1153-1156.
- Linn, H.S., K. J. McInnes, L. P. Wilding, and C. T. Hallmark. 1999. Effects of Soil Morphology on Hydraulic Properties I. Quantification of Soil Morphology. *SSSAJ* 63:948-954.
- Maryland Department of the Environment. 2001, 2009. Maryland Stormwater Design Manual. Infiltration Structure Design, Appendix D.13. MDE, Baltimore, MD.
- Mason D.D., J.F. Lurz and R.G. Petersen. 1957. Hydraulic Conductivity as Related to Certain Soil Properties in a Number of Great Soil Groups—Sampling Errors Involved. *SSSA Proc.* 21: 554-560.
- McKeague, J.A., C. Wang, and G.C. Topp. 1982. Estimated Saturated Hydraulic Conductivity from Soil Morphology. *SSSAJ* 46:1239–1244.
- O’Neal A.M. 1952. A Key for Evaluating Soil Permeability by Means of Certain Field Clues. *SSSA Proc.* 16:312-315.
- Rawls, W.J., D.L. Brakensiek, K.E. Saxton. 1982. Estimation of Soil Water Properties. *Transactions ASAE* 25(5):1316-1320, 1328.
- Rawls, W.J., D.L. Brakensiek, and S.D. Logsdon. 1993a. Predicting Saturated Hydraulic Conductivity Utilizing Fractal Principles. *SSSAJ.* 57:1193–1197.
- Rawls, W. J., D. Gimenez, R. Grossman. 1998. Use Of Soil Texture, Bulk Density, And Slope Of The Water Retention Curve To Predict Saturated Hydraulic Conductivity. *Trans. ASAE* 41(4) 983-988.
- Rhode Island Department of Environmental Management and Coastal Resources Management Council. 2010. Rhode Island Stormwater Design and Installation Standards Manual. Stormwater Infiltration Practices. Chap. 5.3.4. Appendix H.1.3. RIDEM and RICRMC, Providence, RI.
- Siegrist, R.L. 1987. Hydraulic Loading Rates for Soil Absorption Systems Based on Wastewater Quality. P. 232-241 *In On-site Wastewater Treatment. Proc. of the 6th National Symposium Individual and Small Community Sewage Systems.* ASAE, St. Joseph, MI.
- Soil Survey Staff. 1993. Saturated Hydraulic Conductivity and Guidelines for Ksat Class Placement. Chapter 3. *In Soil Survey Manual. Handbook 18.* USDA, NRCS. Lincoln, NE.
- Soil Survey Staff. 2004. Saturated Hydraulic Conductivity: Water Movement Concepts and Class History. Soil Survey Technical Note 6. USDA, NRCS, Lincoln, NE.
- Soil Survey Staff. 2013. Saturated Hydraulic Conductivity, Part 618.53 and Guide for Estimating Ksat from Soil Properties, Exhibit 618.88. *In National Soil Survey Handbook, Title 430-IV.* USDA, NRCS, Lincoln, NE.
- Stauffer, R.S. 1938. Infiltration Capacity of Some Illinois Soils. *Journ. Amer. Soc. Agron.* 30:493-500.
- Taylor, C., J. Yahner, and D. Jones. 1997. An Evaluation of On-site Technology in Indiana: A Report to the Indiana State Department of Health. Purdue University.

- Tyler, E.J. 2001. Hydraulic Wastewater Loading Rates to Soils. P. 80-86 *In* On-site Wastewater Treatment, K. Mancel (ed.) Proceedings of the Ninth International Symposium on Individual and Small Community Sewage Systems. ASAE. St. Joseph, MI.
- Tyler, E.J. and J.C. Converse. 1994. Soil Acceptance of Onsite Wastewater as Affected by Soil Morphology and Wastewater Quality. P. 185-194 *In* D. Sievers (ed.) On-site Wastewater Treatment. Proc. of the 8th International Symposium on Individual and Small Community Sewage Systems. ASAE. St. Joseph, MI.
- Tyler, E.J., E.M. Drozd and J.O. Peterson. 1991. Estimating Wastewater Loading Rates Using Soil Morphological Descriptions. P. 192-200 *In* On-site Wastewater Treatment. Proc. of the 6th National Symposium Individual and Small Community Sewage Systems. ASAE, St. Joseph, MI. p. 192-200.
- Tyler, E.J. and L.K. Kuns. 2002. Designing with Soil: Development and Use of a Wastewater Hydraulic Linear and Infiltration Loading Rate Table. Publ. 4.42. Small Scale Waste Management Project, University of Wisconsin-Madison, Madison, WI.
- Uhland R.E. and A.M. O'Neal. 1951. Soil Permeability Determinations for Use in Soil and Water Conservation. USDA-SCS-Tech Paper-101, Washington D.C., January 1951.
- U.S.E.P.A. 2002. Onsite Wastewater Treatment Systems Manual, Office of Research and Development, National Risk Management Research Lab, USEPA Publ. 625/R-00/008.
- Van Doren, C.A. and A.A. Klingebiel. 1949. Permeability Studies on Some Illinois Soils. SSSA Proc. 14:51-55.
- Washington State Department of Health. 2002. Hydraulic Loading. Eliasson J. (ed.) Rule Development Committee Issue Research Report-Draft.
- Wisconsin Department of Natural Resources. 2004. Site Evaluation for Stormwater Infiltration. WDNR Conservation Practice Standard 1002. WDNR, Madison, WI.